

Institute of Testing and Certification (INDIA) Private Limited

Tel. +91-172-5066372 Fax: +91-172-5066372 362, Industrial Area, Phase 2 Panchkula (Haryana) India Web.: www.itcindia.org email: info@itcindia.org

ELECTRICAL LABORATORY- TEST REPORT

Test Report N°	ITC/TEST/1508/03-B		
Date of issue	16-09-2015		
Sample Date In	21-08-2015		
Date of Performance	24-08-2015 To 15-09-201	.5	
Applicant	Mr. Gaurav Chopra		
Customer	M/s, Devintec Electrical To G.T. road Pragpur, Jalandh	echnologies P ar, Punjab 14	vt. Ltd. 4010
Sample description	12 Watt LED Downlight		
Sample Condition	OK		
Customer reference	N/A		
Trade mark / Manufacturer	d DEVINTEC		
Model / Type / Reference	N/A		
Ratings	AC 230V, 50Hz, 12 W		
Test method(s)	Following test has been co specification: Surge Test at 2.5KV as per		
	Overall verdict	Pass Fail	

Page 1 of <u>04</u>

REMARKS: This report is governed by, and incorporates by reference, the Condition of testing as posted at its date of issuance and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth solely our findings with respect to the test samples identified herein. It includes all of the test requested by you and the results thereof based upon the information that you provided us with. You have 10 calendar days from the date of issuance of this report to notify us of any material error or omission; provided, however, that such notice shall be written and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents. Tests are destructive and non reversible, the submitted samples will not return to their original conditions. The client acknowledges that any remaining part of the sample will be discarded if not retreived in a period of 30 calendar days from the date of issuance of this report



INSTITUTE OF TESTING AND CERTIFICATION (INDIA) PVT. LTD..

Possible test case verdicts:


0	Test case does not apply to the test object	N/A
•	Test object meets the requirement	P (Pass
•	Test object does not meet the requirement	F (Fail)

General remarks:

- "See enclosure ##" refers to additional information related to this report in the annexes section
- "See table ##" refers to a table appended to this report in the annexes section
- "See figure ##" refers to an image, picture or drawing appended to this report in the annexes section
- Throughout this report, a comma is used as decimal separator

General product information:

Pictures of Specimen received:



12 Watt LED Downlight

Testing Engineer Manpreet Singh

Technical Manager Naveen Chopra Monkeyer.

em



INSTITUTE OF TESTING AND CERTIFICATION (INDIA) PVT. LTD.

Equipment Used

Equipment Name	Make	Model No.
Multifunction Generator Systems	TESEQ	NSG 3040

List of Immunity Test

Test Name	Standard
Surge Immunity Test	IEC 61000-4-5

Summary of Result

Test	Result
Surge Immunity Test	Complied Criterion B

Performance Criteria for Immunity Tests

Performance criterion A

During testing, normal performance within the specification limits.

Performance criterion B

During testing, temporary loss of function or degradation of performance which ceases after the disturbance ceases, and from which the equipment under test recovers its normal performance, without operator intervention.

Performance criterion C

During testing, temporary loss of function or degradation of performance, the correction of which requires operator intervention.

Performance criterion D

During testing, loss of function or degradation of performance which is not recoverable owing to damage to hardware or software, or loss of data.

Institute of Testing & Certification (Incl.) Pvt. Ltd.

Test Report No.- ITC/TEST/1508/03-B

Page 3 of 4

Authorised Signatory



INSTITUTE OF TESTING AND CERTIFICATION (INDIA) PVT. LTD.

r.no	Requirement - Test	Results - Remarks	Verdic
1.	Surge Immunity Test		
	Test Level: ± 2.5 kV lines(s) to lines(s) No. of Surges: 5 positive and 5 negative	Equipment meets the compliance criteria B after the surge test	P
		Conditionation Wave Surge test Volt Alt 2500 V Coupling L->N Impedance 20 Repetition 60 s Phase 0 Synch Duration 10 Autor Step Duration 10 Autor	
		± 2.5 kV lines(s) to lines(s)	
Vult Imper	Serice 20 Synch Step Duration 10 Pulse	270 Yott Alt 2500 V Coupling L->N Impedance 2 Q Repetition 60 s Phase 90 Synch Stee Overhion 10 Pulse Step Duration Test Duration	2

Institute of Testing & Certification (India) Pvt. Ltd.

± 2.5 kV line(s) to lines(s)

Test Report No.- ITC/TEST/1508/03-B

Page 4 of 4

Authorised Signatory